L Number	Hits	Search Text	DB	Time stamp
1	1534		USPAT;	2003/05/23 10:28
			US-PGPUB; EPO; JPO; DERWENT;	2003/03/23 10.20
2	1755	(717/140-154,162-166; 709/331-332).CCLS.	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/05/23 10:28
-	4699	(@ad<=19991105 or @rlad<=19991105) and (link\$4.ab. and librar\$3)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/05/21 13:24
-	253	717/\$ and ((librar\$3 same link\$) and (object adj file\$1))	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/05/21 09:06
-	1274	((instance\$1 or template\$1 ) near3 librar\$3) and (compiler or linker)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/05/21 13:57
-	14	(((instance\$1 or template\$1 ) near3 librar\$3) and (compiler or linker) ) and ((librar\$3 same link\$) and (object adj file\$1))	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/05/21 09:06
-	85	((@ad<=19991105 or @rlad<=19991105) and (link\$4.ab. and librar\$3)) and (((instance\$1 or template\$1 ) near3 librar\$3) and (compiler or linker) )	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/05/21 09:06
_	15	717/\$ and (((@ad<=19991105 or @rlad<=19991105) and (link\$4.ab. and librar\$3)) and (((instance\$1 or template\$1 ) near3 librar\$3) and (compiler or linker)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/05/22 08:44
	26	((((instance\$1 or template\$1 ) near3 librar\$3) and (compiler or linker) ) and ((librar\$3 same link\$) and (object adj file\$1)) ) or (717/\$ and (((@ad<=19991105 or @rlad<=19991105) and (link\$4.ab. and librar\$3)) and (((instance\$1 or template\$1 ) near3 librar\$3) and (compiler or linker)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/21 09:07
-	22	(((((instance\$1 or template\$1 ) near3 librar\$3) and (compiler or linker) ) and ((librar\$3 same link\$) and (object adj file\$1)) ) or (717/\$ and (((@ad<=19991105 or @rlad<=19991105) and (link\$4.ab. and librar\$3)) and (((instance\$1 or template\$1 ) near3 librar\$3) and (compiler or linker) )))) and (@ad<=19991105 or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/21 09:09
-	45	<pre>@rlad&lt;=19991105) (((instance\$1 or template\$1) near2 librar\$3) near8 (created or recreated)) and link\$4</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/05/21 09:10
_	4	<pre>((((instance\$1 or template\$1) near2 librar\$3) near8 (created or recreated)) and link\$4) and ((@ad&lt;=19991105 or @rlad&lt;=19991105) and (link\$4.ab. and librar\$3))</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/21 09:10

_	16	717/\$ and ((((((instance\$1 or template\$1) near3 librar\$3) and (compiler or linker)) and ((librar\$3 same link\$) and (object adj file\$1)) or (717/\$ and (((@ad<=19991105 or @rlad<=19991105) and (link\$4.ab. and librar\$3)) and (((instance\$1 or template\$1) near3 librar\$3) and (compiler or linker))))) and (@ad<=19991105 or @rlad<=19991105))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/21 13:45
-	4	<pre>(reusable or prestored or legacy ) adj2 ((library or libraries) adj2 (file\$1 or instance\$1 or template\$1 or component\$1))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/21 09:21
-	8	<pre>(((((instance\$1 or template\$1) near2 librar\$3) near8 (created or recreated)) and link\$4) and ((@ad&lt;=19991105 or @rlad&lt;=19991105) and (link\$4.ab. and librar\$3))) or ((reusable or prestored or legacy ) adj2 ((library or libraries) adj2 (file\$1 or instance\$1 or template\$1 or component\$1)))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/21 09:21
-	2035	(@ad<=19991105 or @rlad<=19991105) and (("dynamic linked library" or DLL ) and librar\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/21 09:23
-	8	<pre>((((((instance\$1 or template\$1) near2 librar\$3) near8 (created or recreated)) and link\$4) and ((@ad&lt;=19991105 or @rlad&lt;=19991105) and (link\$4.ab. and librar\$3))) or ((reusable or prestored or legacy ) adj2 ((library or libraries) adj2 (file\$1 or instance\$1 or template\$1 or component\$1)))) not ((@ad&lt;=19991105 or @rlad&lt;=19991105) and (("dynamic linked library" or DLL ) and librar\$3))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/21 13:13
-	38	(link\$4 same ((pre-existing or pre-stored or repository or archive or reusable) adj2 librar\$3) ) and compil\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/21 15:00
-	24	<pre>((link\$4 same ((pre-existing or pre-stored or repository or archive or reusable) adj2 librar\$3) ) and compil\$4) and (@ad&lt;=19991105 or @rlad&lt;=19991105)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/21 15:16
-	16	717/\$ and ((((((instance\$1 or template\$1) near3 librar\$3) and (compiler or linker)) and ((librar\$3 same link\$) and (object adj file\$1)) or (717/\$ and (((@ad<=19991105 or @rlad<=19991105) and (link\$4.ab. and librar\$3)) and (((instance\$1 or template\$1) near3 librar\$3) and (compiler or linker)))) and (@ad<=19991105 or @rlad<=19991105))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/21 13:45
-	3	((instance\$1 or template\$1 or reusable) near3 librar\$3) and (("4330822"   "5062039"   "5369766"   "5414854"   "5519866"   "5613120"   "5640558"   "5644771"   "5659735"   "5758160").PN.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/21 14:15
-	2	<pre>(selective\$5 near3 (link\$4 or compil\$4)) and (( pre-existing or reusable or prestored or (existing adj2 instance)) adj2 librar\$3)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/22 09:16
-	28	((list or database or heap or storage or library or table) adj2 ("linker symbol name" or "library names" or "library symbols" or "libraries instances")) and compil\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/21 15:06

-	201	(pre-existing or pre-stored or reusable or	USPAT;	2003/05/21 15:13
		repository or library) adj3 (object adj	US-PGPUB;	
		(file\$1 or module\$1 or instance\$1 or	EPO; JPO;	
		name\$1))	DERWENT;	
			IBM_TDB	
-	2	(((pre-existing or pre-stored or reusable	USPAT;	2003/05/21 15:19
		or repository or library) adj3 (object adj	US-PGPUB;	
		(file\$1 or module\$1 or instance\$1 or	EPO; JPO;	
		name\$1))) and (@ad<=19991105 or	DERWENT;	
		@rlad<=19991105)) and ((compiler and	IBM_TDB	
		717/\$) and ((( instance\$1 or name\$1) near5 match\$4) same link\$4) )		
1_	1	(linker adj2 ( symbol adj name\$1)) and	USPAT;	2003/05/22 08:00
	1	compiler	US-PGPUB;	2003/03/22 08:00
1		Compiler	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	9	5835701.URPN.	USPAT	2003/05/22 08:10
_	1 2	5835701.URPN. and (link\$4 same ((object	USPAT;	2003/05/22 08:15
		adj2 (file\$1 or librar\$3)) or (symbol adj	US-PGPUB;	2000,00,22 00.20
		name\$1)))	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	1410	( link\$4 same (( object adj2 ( file\$1 or	USPAT;	2003/05/22 08:18
		librar\$3)) or (symbol adj name\$1)) )	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
İ			IBM_TDB	
-	247	link\$3 and ( ( (variable or space or	USPAT;	2003/05/22 08:18
		symbol\$1) near3 initializ\$3) and	US-PGPUB;	
		(librar\$3 near8 object) )	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1325	(compar\$4 or match\$4) near8 ((object or	USPAT;	2003/05/22 08:22
		instance or librar\$3 or pre-existing or	US-PGPUB;	
		pre-stored or existing or reusable) near3	EPO; JPO;	
		( name or symbol\$1 or file\$1))	DERWENT;	
	229	//initialies noard librared anoma library	IBM_TDB USPAT;	2003/05/22 08:28
-	229	((initiali\$5 near3 librar\$3) saeme linker) and (object adj4 (instance\$1 or	US-PGPUB;	2003/03/22 08:28
		template\$1))	EPO; JPO;	
		Comptaceviii	DERWENT;	
			IBM TDB	
-	3	((initiali\$5 near3 librar\$3) and linker)	USPAT;	2003/05/22 08:35
1		and (object adj4 (instance\$1 or	US-PGPUB;	
		template\$1))	EPO; JPO;	
1	1		DERWENT;	
			IBM TDB	
-	6	((stor\$4 or catalog\$4 or library or	USPAT;	2003/05/22 08:41
1		repository) adj3 (object adj2 (file\$1 or	US-PGPUB;	
		module\$1 or link\$1 or name\$1 or	EPO; JPO;	
1		instance\$1))) and ( need\$2 near4	DERWENT;	
1		recreat\$4)	IBM_TDB	
1 -	62	·	USPAT;	2003/05/22 08:42
		module\$1 or link\$1 or name\$1 or	US-PGPUB;	
	1	instance\$1)) ) and ( need\$2 near4	EPO; JPO;	
		(recreat\$4 or generat\$4))	DERWENT;	
			IBM_TDB	

_	10	((((reusable same (object adj2 (file\$1 or	USPAT;	2003/05/22 09:42
		module\$1 or link\$1 or name\$1 or	US-PGPUB;	
		instance\$1)) ) and ( need\$2 near4	EPO; JPO;	
		(recreat\$4 or generat\$4))) and (( link\$4	DERWENT;	
		<pre>same (( object adj2 ( file\$1 or librar\$3))</pre>	IBM_TDB	
		or (symbol adj name\$1)) ))) or (((reusable	_	
		same (object adj2 (file\$1 or module\$1 or		
		<pre>link\$1 or name\$1 or instance\$1)) ) and (</pre>		
		need\$2 near4 (recreat\$4 or generat\$4)))		
		and (link\$3 and ( ( (variable or space or		
	:	symbol\$1) near3 initializ\$3) and		
		(librar\$3 near8 object) ))) or (((reusable		
		same (object adj2 (file\$1 or module\$1 or		
		link\$1 or name\$1 or instance\$1)) ) and (		
		need\$2 near4 (recreat\$4 or generat\$4)))		
		and ((compar\$4 or match\$4) near8 ((object		
		or instance or librar\$3 or pre-existing or		
		pre-stored or existing or reusable) near3		
		( name or symbol\$1 or file\$1)) ))) and		
1		(@ad<=19991105 or @rlad<=19991105)		
_	11	((((initiali\$5 near3 librar\$3) saeme	USPAT;	2003/05/22 09:36
1		linker) and (object adj4 (instance\$1 or	US-PGPUB;	2003,03,22 03.30
		template\$1))) and ((reusable same (object	EPO; JPO;	
		adj2 (file\$1 or module\$1 or link\$1 or	DERWENT;	
		name\$1 or instance\$1)) ) and ( need\$2	IBM TDB	
			IBM_IDB	
		near4 (recreat\$4 or generat\$4))))		
	_		ticoam.	2003/05/22 00-01
-	5	(reus\$5 or link\$4) near3 ( (existing or	USPAT;	2003/05/22 09:01
		pre-existing or pre-stored) adj2 (object	US-PGPUB;	
		adj2 (file or instance\$1 or symbol\$1)) )	EPO; JPO;	
			DERWENT;	
		44 13 44 45 45 46 46 13 46 46 13 46 1	IBM_TDB	0000/05/00 00 00
_	2	((reusable same (object adj2 (file\$1 or	USPAT;	2003/05/22 09:02
		module\$1 or link\$1 or name\$1 or	US-PGPUB;	
		instance\$1))) and (need\$2 near4	EPO; JPO;	
		(recreat\$4 or generat\$4))) and ((no\$1 or	DERWENT;	
		without) adj2 ((need or have )adj2	IBM_TDB	
		(recreate or generat\$5 or rebuild\$3 )))		0000 405 400 40 01
-	4	(((reus\$5 or link\$4) near3 ( (existing or	USPAT;	2003/05/22 12:01
		pre-existing or pre-stored) adj2 (object	US-PGPUB;	
		<pre>adj2 (file or instance\$1 or symbol\$1)) ))</pre>	EPO; JPO;	
		or (((reusable same (object adj2 (file\$1	DERWENT;	
		or module\$1 or link\$1 or name\$1 or	IBM_TDB	
		instance\$1))) and (need\$2 near4		
		(recreat\$4 or generat\$4))) and ((no\$1 or		
		without) adj2 ((need or have )adj2		
		(recreate or generat\$5 or rebuild\$3 )))))		
		and (@ad<=19991105 or @rlad<=19991105)		0000/05/55
-	5	(selective\$5 near3 (reus\$4 or link\$4 or	USPAT;	2003/05/22 09:18
		compil\$4)) and (( pre-existing or reusable	US-PGPUB;	
		or prestored or (existing adj2 instance))	EPO; JPO;	
		adj2 (librar\$3 or (object\$1 adj file)) )	DERWENT;	
			IBM_TDB	
-	74	((repository or library) adj2 ( object adj	USPAT;	2003/05/22 09:38
		( file\$1 or instance\$1 or template\$1)) and	US-PGPUB;	
		(reus\$4 or link\$4))	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	35	((linker or symbol) near2 (table or	USPAT;	2003/05/22 09:41
		object\$1 or name\$1)) near8 (hash adj	US-PGPUB;	
		table)	EPO; JPO;	
1		·	DERWENT;	
			IBM TDB	
<u> </u>	J	L		<del></del>

- 2327	<pre>((( link\$4 same (( object adj2 ( file\$1 or librar\$3)) or (symbol adj name\$1)) )) or (link\$3 and ( ( (variable or space or symbol\$1) near3 initializ\$3) and (librar\$3 near8 object) )) or ((compar\$4 or match\$4) near8 ((object or instance or librar\$3 or pre-existing or pre-stored or existing or reusable) near3 ( name or symbol\$1 or file\$1)) ) or (((initiali\$5 near3 librar\$3) saeme linker) and (object adj4 (instance\$1 or template\$1)))) and (@ad&lt;=19991105 or @rlad&lt;=19991105)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 09:43
4	("linker symbol" adj2 (name\$1 and table\$1)) and (object same linker)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/22 09:43
	<pre>((((((( link\$4 same (( object adj2 ( file\$1 or librar\$3)) or (symbol adj name\$1)) )) or (link\$3 and ( ( (variable or space or symbol\$1) near3 initializ\$3) and (librar\$3 near8 object) )) or ((compar\$4 or match\$4) near8 ((object or instance or librar\$3 or pre-existing or pre-stored or existing or reusable) near3 ( name or symbol\$1 or file\$1)) ) or (((initiali\$5 near3 librar\$3) saeme linker) and (object adj4 (instance\$1 or template\$1)))) and (@ad&lt;=19991105 or @rlad&lt;=19991105)) and (((repository or library) adj2 ( object adj ( file\$1 or instance\$1 or template\$1)) and (reus\$4 or link\$4))) or (((linker or symbol) near2 (table or object\$1 or name\$1)) near8 (hash adj table)))) not ((US-6526565-\$ or US-6351848-\$ or US-6298479-\$ or US-6351848-\$ or US-6182279-\$ or US-6149318-\$ or US-6182279-\$ or US-5659751-\$ or US-6659729-\$ or US-5659751-\$ or US-6457174-\$ or US-5659751-\$ or US-6457174-\$ or US-562582-\$ or US-56632168-\$ or US-562582-\$ or US-56632168-\$ or US-56457174-\$ or US-63312168-\$ or US-6457174-\$ or US-6332168-\$ or US-5867707-\$ or US-5615400-\$ or US-5835701-\$ or US-5615400-\$ or US-5835701-\$ or US-5615400-\$ or US-5923880-\$ or US-5680619-\$).did. or (US-6308320-\$ or US-5680619-\$).did. or (US-20020129329-\$ or US-20020032901-\$ or US-20010054177-\$ or US-20020046400-\$).did.)) and (linker and (object adj2 (file\$1 or module\$1 or name\$1)))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 09:55